WIKIPEDIA

Moe

Iz Wikipedije, slobodne enciklopedije

Moe su izumrla porodica ptica neletačica iz reda nojevki. Ova porodica sastoji se od deset vrsta raspoređenih u šest rodova. Sve vrste su bile endemi Novog Zelanda, te izumrle su oko 1500. Uglavnom su nastanjivale šume, sve dok Maori nisu došli na Novi Zeland i iskrčili većinu šuma. Prema istraživanjima znanstvenika, moe su se hranile biljkama. Često su gutale stijene koje bi se zadržale u želucu (gastroliti), pa bi tako ptice lakše probavile teško probavljive biljke. Hodale su brzinom oko 3-5 km/h[2]. U muzejima se nalazi 36 fosilizianih jaja ptica iz ove porodice. Jaja su bila velika 120-240 mm. Kod većine vrsta jaja su bila bijele boje, samo kod vrste *Megalapteryx didinus* bila su plavozelenkasta.

Moe

Naučna klasifikacija

Carstvo:	Animalia
Koljeno:	Chordata
Razred:	Aves
Nadred:	Paleognathae
Red:	Struthioniformes
Porodica:	†**Dinornithidae** (Bonaparte, 1853)[1]

Sadržaj/Садржај

Taksonomija
Izvori
Literatura
Vanjske veze

Taksonomija

Ova porodica nekoć je tvorila poseban red ptica u koji su biolozi ubrajali i kivije[3]. Postojale su dvije porodice: manje moe (lat. Anomalopterygidae) i velike moe (lat. Dinornithidae). Manje moe su činile ptice veličine purana ili malo veće. Među njima je bila najmanja od svih moa, *Euryapteryx curtus* koja ja bila teška oko 20 kg. Drugu porodicu, velike moe su činile jako velike ptice, među kojima je bila velika moa, jedna od najviših ptica ikada. Bila je visoka oko 4,5 m. Najbliži rođaci ovih ptica su emu i kazuar.

Izvori

1. Brands, S. (2008)
2. Worthy & Holdaway '2002
3. http://www.prirodopis.com/izumrli_ptice.htm

Literatura

- Anderson, A. (1989). "On evidence for the survival of moa in European Fiordland" (http://www.newzealandecology.org/nzje/free_issues/NZJEcol12_s_39.pdf) (PDF). *New*

Zealand Journal of Ecology **12** (Supplement): 39–44.

- "Animal X Classic" (https://www.youtube.com/watch?v=CHKbD07cbZA). Aug 2003. http://www.youtube.com/watch?v=CHKbD07cbZA. Pristupljeno Feb 14, 2011.
- Baker, Allan J.; Huynen, Leon J.; Haddrath, Oliver; Millar, Craig D. and Lambert, David M. (2005). "Reconstructing the tempo and mode of evolution in an extinct clade of birds with ancient DNA: The giant moas of New Zealand" (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1149408). *PNAS* **102** (23): 8257–8262. PMC 1149408 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1149408). PMID 15928096 (https://www.ncbi.nlm.nih.gov/pubmed/15928096). doi:10.1073/pnas.0409435102 (https://dx.doi.org/10.1073%2Fpnas.0409435102).
- Brands, Sheila (August 14, 2008). "Systema Naturae 2000 / Classification, Order Dinornithiformes" (http://www.taxonomy.nl/Main/Classification/80139.htm). *Project: The Taxonomicon*. http://www.taxonomy.nl/Main/Classification/80139.htm. Pristupljeno Feb 4, 2009.
- Buller, W.L. (1888). *A history of the birds of New Zealand*. London: Buller.
- Bunce, Michael; Worthy, Trevor H.; Ford, Tom; Hoppitt, Will; Willerslev, Eske; Drummond, Alexei; Cooper, Alan (2003). "Extreme reversed sexual size dimorphism in the extinct New Zealand moa *Dinornis*". *Nature* **425** (6954): 172–174. PMID 12968178 (https://www.ncbi.nlm.nih.gov/pubmed/12968178). doi:10.1038/nature01871 (https://dx.doi.org/10.1038%2Fnature01871).
- Burrows, C. et al. (1981). "The diet of moas based on gizzard contents samples from Pyramid Valley, North Canterbury, and Scaifes Lagoon, Lake Wanaka, Otago". *Records of the Canterbury Museum* **9**: 309–336.
- Davies, S.J.J.F. (2003). "Moas". u: Hutchins, Michael. *Grzimek's Animal Life Encyclopedia*. **8 Birds I Tinamous and Ratites to Hoatzins** (2 izd.). Farmington Hills, MI: Gale Group. pp. 95–98. ISBN 0-7876-5784-0.
- Dawkins, Richard (2004). *A Pilgrimage to the Dawn of Life, The Ancestor's Tale*. Boston: Houghton Mifflin. str. 292. ISBN 0-618-00583-8.
- Dieffenbach, E. (1843). *Travels in New Zealand*. **II**. London: John Murray. str. 195. ISBN 1-113-50843-4.
- Dutton, Dennis (1994). "Skeptics Meet Moa Spotters" (http://skeptics.org.nz/SK:VIEWARTICLE::838). *New Zealand Skeptics Online*. New Zealand: New Zealand Committee for the Scientific Investigation of Claims of the Paranormal. http://skeptics.org.nz/SK:VIEWARTICLE::838. Pristupljeno Feb 14, 2011.
- Forrest, R.M. (1987). "A partially mummified skeleton of *Anomalopteryx didiformis* from Southland". *Journal of the Royal Society of New Zealand* **17**: 399–408. doi:10.1080/03036758.1987.10426481 (https://dx.doi.org/10.1080%2F03036758.1987.10426481).
- Fuller, Errol (1987) Bunney, Sarah ur. *Extinct Birds* London, England: The Rainbird Publishing Group ISBN 0-8160-1833-2
- Gill, BJ. (2007). "Eggshell characteristics of moa eggs (Aves: Dinornithiformes)". *Journal of the Royal Society of New Zealand* **37** (4): 139–150. doi:10.1080/03014220709510542 (https://dx.doi.org/10.1080%2F03014220709510542).
- Gould, Charles (1886). *Mythical Monsters*. W.H. Allen & Co..
- Hall, Jamie (2006). "Moas and Other Giant Flightless Birds" (http://www.newanimal.org/moas.htm). *The Cryptid Zoo*. http://www.newanimal.org/moas.htm. Pristupljeno Feb 14, 2011.
- Hamilton, A. (1894). "On the feathers of a small species of moa (*Megalapteryx didinus*) found in a cave at the head of the Waikaia River, with a notice of a moa-hunters camping place on the Old Man Range". *Transactions and Proceedings of the New Zealand Institute* **27**: 232–238.
- Hartree, WH. (1999). "A preliminary report on the nesting habits of moas in the East Coast of the North Island". *Notornis* **46**: 457–460.
- Heuvelmans, Bernard (1959). *On the Track of Unknown Animal*. New York, NY: Hill & Wang.
- Hill, H. (1913). "The Moa—Legendary, Historical and Geographical: Why and When the Moa disappeared" (http://rsnz.natlib.govt.nz/image/rsnz_46/rsnz_46_00_0368_0330_

ac_01.html). *Transactions and Proceedings of the Royal Society of New Zealand* **46**: 330.

- Holdaway, R. N.; Jacomb, C. (2000). "Rapid Extinction of the Moas (Aves: Dinornithiformes): Model, Test, and Implications". *Science* **287** (5461): 2250–2254. PMID 10731144 (https://www.ncbi.nlm.nih.gov/pubmed/10731144). doi:10.1126/science.287.5461.2250 (https://dx.doi.org/10.1126%2Fscience.287.5461.2250).
- Holdaway, R.N.; Worthy, T.H. (1997). "A reappraisal of the late Quaternary fossil vertebrates of Pyramid Valley Swamp, North Canterbury". *New Zealand Journal of Zoology* **24**: 69–121. doi:10.1080/03014223.1997.9518107 (https://dx.doi.org/10.1080%2F03014223.1997.9518107).
- Horrocks, M. et al. (2004). "Plant remains in coprolites: diet of a subalpine moa (Dinornithiformes) from southern New Zealand". *Emu* **104** (2): 149–156. doi:10.1071/MU03019 (https://dx.doi.org/10.1071%2FMU03019).
- Hutton, F.W.; Coughtrey, M. (1875). "Notice of the Earnscleugh Cave". *Transactions and Proceedings of the New Zealand Institute* **7**: 138–144.
- Huynen, Leon; Gill, Brian J.; Millar, Craig D.; Lambert, David M. (30 Aug 2010). "Ancient DNA Reveals Extreme Egg Morphology and Nesting Behavior in New Zealand's Extinct Moa". *Proceedings of the National Academy of Sciences* **107** (30): 16201. doi:10.1073/pnas.0914096107 (https://dx.doi.org/10.1073%2Fpnas.0914096107). Check date values in: `|date=` (help)
- Huynen, Leon J.; Millar, Craig D.; Scofield, R. P.; Lambert, David M. (2003). "Nuclear DNA sequences detect species limits in ancient moa". *Nature* **425** (6954): 175–178. PMID 12968179 (https://www.ncbi.nlm.nih.gov/pubmed/12968179). doi:10.1038/nature01838 (https://dx.doi.org/10.1038%2Fnature01838).
- Laing, Doug (Jan 5, 2008). "Birdman says moa surviving in the Bay" (http://www.hawkesbaytoday.co.nz/local/news/lead-story-birdman-says-moa-surviving-in-the-bay/3760032/). *Hawkes Bay Today*. APN News & Media Ltd. http://www.hawkesbaytoday.co.nz/local/news/lead-story-birdman-says-moa-surviving-in-the-bay/3760032/. Pristupljeno Feb 14, 2011.
- Millener, P. R. (1982). "And then there were twelve: the taxonomic status of Anomalopteryx oweni (Aves: Dinornithidae)" (http://notornis.osnz.org.nz/and-then-there-were-twelve-taxonomic-status-anomalopteryx-oweni-aves-dinornithidae). *Notornis* **29** (1): 165–170.
- "New Zealand Recognised Bird Names (NZRBN) database" (http://www.bird.org.nz/nzrbn.htm). Ornithological Society of New Zealand Inc.. Jan 2009. http://www.bird.org.nz/nzrbn.htm. Pristupljeno Feb 14, 2011.
- Owen, Richard (1879). *Memoirs on the Extinct Wingless Birds of New Zealand, with an Appendix of Those of England, Australia, Newfoundland, Mauritius and Rodriguez.*. London: John van Voorst.
- Phillips, Matthew J.; Gibb, Gillian C.; Crimp, Elizabeth A.; Penny, David (2010). "Tinamous and Moa Flock Together: Mitochondrial Genome Sequence Analysis Reveals Independent Losses of Flight among Ratites" (http://sysbio.oxfordjournals.org/cgi/content/full/59/1/90). *Systematic Biology* **59** (1): 90–107. PMID 20525622 (https://www.ncbi.nlm.nih.gov/pubmed/20525622). doi:10.1093/sysbio/syp079 (https://dx.doi.org/10.1093%2Fsysbio%2Fsyp079). Pristupljeno Feb 1, 2010. Check date values in: `|accessdate=` (help)
- Polack, J. S. (1838). *New Zealand: Being a Narrative of Travels and Adventures During a Residence in that Country Between the Years 1831 and 1837*. **I**. London: Richard Bentley. str. 303, 307.
- Purcell, Rosamond (1999). *Swift as a Shadow*. Mariner Books. str. 32. ISBN 0-395-89228-7.
- Stephenson, Brent (01/05/09). "New Zealand Recognised Bird Names (NZRBN) database" (http://www.bird.org.nz/nzrbn.htm). New Zealand: Ornithological Society of New Zealand. http://www.bird.org.nz/nzrbn.htm. Pristupljeno 05/10/10.
- Turvey, Samuel T.; Green, Owen R.; Holdaway, Richard N. (2005). "Cortical growth marks reveal extended juvenile development in New Zealand moa". *Nature* **435** (7044): 940–943. PMID 15959513 (https://www.ncbi.nlm.nih.gov/pubmed/15959513)

. doi:10.1038/nature03635 (https://dx.doi.org/10.1038%2Fnature03635).

- Vickers-Rich, P.; *et al.* (1995). "Morphology, myology, collagen and DNA of a mummified moa, *Megalapteryx didinus* (Aves: Dinornithiformes) from New Zealand". *Tuhinga: Records of the Museum of New Zealand Te Papa Tongarewa* **4**: 1–26.
- Wood, JR. (2007). "Moa gizzard content analyses: further information on the diet of *Dinornis robustus* and *Emeus crassus*, and the first evidence for the diet of *Pachyornis elephantopus* (Aves: Dinornithiformes)". *Records of the Canterbury Museum* **21**: 27–39.
- Wood, JR. (2008). "Moa (Aves: Dinornithiformes) nesting material from rockshelters in the semi-arid interior of South Island, New Zealand". *Journal of the Royal Society of New Zealand* **38** (3): 115–129. doi:10.1080/03014220809510550 (https://dx.doi.org/10.1080%2F03014220809510550).
- Wood, J.R.; Worthy, T.H.; Rawlence, N.J.; Jones, S.M.; Read, S.E. (2008). "A deposition mechanism for Holocene miring bone deposits, South Island, New Zealand". *Journal of Taphonomy* **6**: 1–20.
- Worthy, T.H. (1989). "Mummified moa remains from Mt. Owen, northwest Nelson". *Notornis* **36**: 36–38.
- Worthy, T.H. (1998a). "Quaternary fossil faunas of Otago, South Island, New Zealand". *Journal of the Royal Society of New Zealand* **28** (3): 421–521. doi:10.1080/03014223.1998.9517573 (https://dx.doi.org/10.1080%2F03014223.1998.9517573).
- Worthy, T.H. (1998b). "The Quaternary fossil avifauna of Southland, South Island, New Zealand". *Journal of the Royal Society of New Zealand* **28** (4): 537–589. doi:10.1080/03014223.1998.9517575 (https://dx.doi.org/10.1080%2F03014223.1998.9517575).
- Worthy, T.H.; Holdaway, R.N. (1993). "Quaternary fossil faunas from caves in the Punakaiki area, West Coast, South Island, New Zealand". *Journal of the Royal Society of New Zealand* **23**: 147–254. doi:10.1080/03036758.1993.10721222 (https://dx.doi.org/10.1080%2F03036758.1993.10721222).
- Worthy, T.H.; Holdaway, R.N. (1994). "Quaternary fossil faunas from caves in Takaka Valley and on Takaka Hill, northwest Nelson, South Island, New Zealand". *Journal of the Royal Society of New Zealand* **24** (3): 297–391. doi:10.1080/03014223.1994.9517474 (https://dx.doi.org/10.1080%2F03014223.1994.9517474).
- Worthy, T.H.; Holdaway, R.N. (1995). "Quaternary fossil faunas from caves on Mt. Cookson, North Canterbury, South Island, New Zealand". *Journal of the Royal Society of New Zealand* **25** (3): 333–370. doi:10.1080/03014223.1995.9517494 (https://dx.doi.org/10.1080%2F03014223.1995.9517494).
- Worthy, T.H.; Holdaway, R.N. (1996). "Quaternary fossil faunas, overlapping taphonomies, and paleofaunal reconstructions in North Canterbury, South Island, New Zealand". *Journal of the Royal Society of New Zealand* **26** (3): 275–361. doi:10.1080/03014223.1996.9517514 (https://dx.doi.org/10.1080%2F03014223.1996.9517514).
- Worthy, Trevor H.; Holdaway, Richard N. (2002). *The Lost World of the Moa*. Bloomington: Indiana University Press. ISBN 0-253-34034-9.
- Worthy, Trevor H. (Mar 2009). "A moa sighting?" (http://www.teara.govt.nz/en/moa/4/2). *Te Ara - the Encyclopedia of New Zealand*. http://www.teara.govt.nz/en/moa/4/2. Pristupljeno Feb 14, 2011.
- Yong, Ed (Mar 2010). "DNA from the Largest Bird Ever Sequenced from Fossil Eggshells" (http://blogs.discovermagazine.com/notrocketscience/2010/03/09/dna-from-the-largest-bird-ever-sequenced-from-fossil-eggshells/). Discover Magazine. http://blogs.discovermagazine.com/notrocketscience/2010/03/09/dna-from-the-largest-bird-ever-sequenced-from-fossil-eggshells/. Pristupljeno Feb 14, 2011.

Vanjske veze

Moe na Wikimedijinoj ostavi

- TerraNature list of New Zealand's extinct birds (http://www.terranature.org/extinctBirds.htm)
- TerraNature page on Moa (http://www.terranature.org/moa.htm)
- Tree of Life classification and references (http://tolweb.org/tree?group=Dinornithidae)
- [1] (http://www.teara.govt.nz/en/moa/page-1) in Te Ara - the Encyclopedia of New Zealand

Wikivrste (https://species.wikimedia.org/wiki/Main_Page) ima informacije vezane uz:
Moa

Dobavljeno iz "https://sh.wikipedia.org/w/index.php?title=Moe&oldid=19302309"

Ova stranica je zadnji put izmijenjena 16:47, 22 juli 2015.

Tekst je dostupan pod Creative Commons Attribution/Share-Alike licencom; dodatni uslovi se mogu primijeniti. Za detalje pogledajte uslove korištenja.